



BARGE " AT-3012"
ACCUMARINE
INNAGE TABLE

2 PORT OR STAR.

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2086-1

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.			
0	16.36	0	380.86	0	894.69	0	1,638.32	0	1,382.04	0	1,725.77	0	2,069.50	0	2,413.23	0	2,756.96	0	3,100.69	0	3,444.41	0	3,788.14	0	4,131.87	0	4,475.60	0	4,819.32	0	5,163.05
1/4	21.46	1/4	368.02	1/4	701.75	1/4	1,046.48	1/4	1,389.21	1/4	1,732.94	1/4	2,076.67	1/4	2,420.40	1/4	2,764.13	1/4	3,107.86	1/4	3,451.59	1/4	3,795.32	1/4	4,139.05	1/4	4,482.78	1/4	4,826.51	1/4	5,170.24
1/2	26.57	1/2	355.18	1/2	708.91	1/2	1,062.64	1/2	1,396.37	1/2	1,740.10	1/2	2,083.83	1/2	2,427.56	1/2	2,771.29	1/2	3,115.02	1/2	3,458.75	1/2	3,802.48	1/2	4,146.21	1/2	4,489.94	1/2	4,833.67	1/2	5,177.40
3/4	31.69	3/4	372.34	3/4	716.07	3/4	1,069.80	3/4	1,403.53	3/4	1,747.26	3/4	2,090.99	3/4	2,434.71	3/4	2,778.44	3/4	3,122.17	3/4	3,465.90	3/4	3,809.63	3/4	4,153.36	3/4	4,497.09	3/4	4,840.82	3/4	5,178.55
1	36.80	1	379.50	1	723.23	1	1,066.96	1	1,410.69	1	1,754.42	1	2,098.14	1	2,441.87	1	2,785.60	1	3,129.33	1	3,473.06	1	3,816.79	1	4,160.51	1	4,504.24	1	4,847.97	1	5,191.70
1 1/4	43.48	1 1/4	368.67	1 1/4	730.30	1 1/4	1,074.12	1 1/4	1,417.85	1 1/4	1,761.58	1 1/4	2,105.31	1 1/4	2,449.04	1 1/4	2,792.77	1 1/4	3,136.50	1 1/4	3,480.23	1 1/4	3,823.96	1 1/4	4,167.69	1 1/4	4,511.42	1 1/4	4,855.15	1 1/4	5,198.88
1 1/2	50.16	1 1/2	363.83	1 1/2	737.65	1 1/2	1,081.28	1 1/2	1,425.01	1 1/2	1,768.74	1 1/2	2,112.47	1 1/2	2,456.20	1 1/2	2,800.00	1 1/2	3,143.80	1 1/2	3,487.60	1 1/2	3,831.40	1 1/2	4,175.20	1 1/2	4,519.00	1 1/2	4,862.80	1 1/2	5,206.60
1 3/4	57.26	1 3/4	400.99	1 3/4	744.71	1 3/4	1,088.44	1 3/4	1,432.17	1 3/4	1,775.90	1 3/4	2,119.63	1 3/4	2,463.36	1 3/4	2,807.09	1 3/4	3,150.82	1 3/4	3,494.55	1 3/4	3,838.28	1 3/4	4,182.00	1 3/4	4,525.73	1 3/4	4,869.48	1 3/4	5,217.23
2	64.42	2	400.15	2	751.99	2	1,095.60	2	1,439.33	2	1,783.06	2	2,126.79	2	2,470.52	2	2,814.24	2	3,157.97	2	3,501.70	2	3,845.43	2	4,189.16	2	4,532.90	2	4,876.63	2	5,224.36
2 1/4	71.68	2 1/4	416.31	2 1/4	759.04	2 1/4	1,102.77	2 1/4	1,446.49	2 1/4	1,790.22	2 1/4	2,133.94	2 1/4	2,477.66	2 1/4	2,821.41	2 1/4	3,165.13	2 1/4	3,508.86	2 1/4	3,852.59	2 1/4	4,196.32	2 1/4	4,540.05	2 1/4	4,883.78	2 1/4	5,231.43
2 1/2	78.74	2 1/2	422.47	2 1/2	768.20	2 1/2	1,109.93	2 1/2	1,453.65	2 1/2	1,797.38	2 1/2	2,141.11	2 1/2	2,484.84	2 1/2	2,828.57	2 1/2	3,172.29	2 1/2	3,516.02	2 1/2	3,859.75	2 1/2	4,203.48	2 1/2	4,547.21	2 1/2	4,890.94	2 1/2	5,237.67
2 3/4	85.90	2 3/4	429.63	2 3/4	773.36	2 3/4	1,117.09	2 3/4	1,460.82	2 3/4	1,804.54	2 3/4	2,148.27	2 3/4	2,492.00	2 3/4	2,835.73	2 3/4	3,179.46	2 3/4	3,523.18	2 3/4	3,866.91	2 3/4	4,210.64	2 3/4	4,558.37	2 3/4	4,906.10	2 3/4	5,244.97
3	93.06	3	436.79	3	780.52	3	1,124.25	3	1,467.98	3	1,811.70	3	2,155.43	3	2,499.16	3	2,842.89	3	3,186.62	3	3,530.34	3	3,874.07	3	4,217.80	3	4,561.53	3	4,905.26	3	5,252.02
3 1/4	100.23	3 1/4	443.95	3 1/4	787.68	3 1/4	1,131.41	3 1/4	1,476.14	3 1/4	1,818.87	3 1/4	2,162.59	3 1/4	2,506.32	3 1/4	2,850.05	3 1/4	3,193.78	3 1/4	3,537.51	3 1/4	3,881.23	3 1/4	4,224.96	3 1/4	4,568.69	3 1/4	4,912.42	3 1/4	5,259.18
3 1/2	107.39	3 1/2	451.11	3 1/2	794.64	3 1/2	1,138.57	3 1/2	1,482.30	3 1/2	1,829.83	3 1/2	2,173.56	3 1/2	2,517.29	3 1/2	2,861.02	3 1/2	3,204.74	3 1/2	3,548.47	3 1/2	3,892.20	3 1/2	4,239.93	3 1/2	4,585.66	3 1/2	4,929.39	3 1/2	5,266.05
3 3/4	114.55	3 3/4	458.28	3 3/4	802.00	3 3/4	1,145.73	3 3/4	1,489.46	3 3/4	1,833.19	3 3/4	2,177.92	3 3/4	2,520.64	3 3/4	2,868.37	3 3/4	3,208.10	3 3/4	3,551.83	3 3/4	3,895.56	3 3/4	4,237.29	3 3/4	4,589.02	3 3/4	4,932.75	3 3/4	5,271.91
4	121.71	4	465.44	4	809.16	4	1,152.89	4	1,496.62	4	1,840.35	4	2,184.08	4	2,527.80	4	2,871.53	4	3,215.26	4	3,558.99	4	3,902.72	4	4,246.44	4	4,590.17	4	4,933.90	4	5,279.47
4 1/4	128.87	4 1/4	472.60	4 1/4	816.32	4 1/4	1,160.06	4 1/4	1,503.78	4 1/4	1,847.51	4 1/4	2,191.24	4 1/4	2,534.97	4 1/4	2,878.98	4 1/4	3,222.42	4 1/4	3,566.15	4 1/4	3,909.08	4 1/4	4,252.81	4 1/4	4,596.54	4 1/4	4,940.27	4 1/4	5,286.93
4 1/2	136.03	4 1/2	479.76	4 1/2	823.49	4 1/2	1,167.21	4 1/2	1,510.94	4 1/2	1,854.67	4 1/2	2,198.40	4 1/2	2,542.13	4 1/2	2,889.85	4 1/2	3,236.58	4 1/2	3,573.31	4 1/2	3,917.04	4 1/2	4,260.77	4 1/2	4,603.89	4 1/2	4,947.62	4 1/2	5,294.58
4 3/4	143.19	4 3/4	486.92	4 3/4	830.65	4 3/4	1,174.38	4 3/4	1,518.10	4 3/4	1,861.83	4 3/4	2,206.56	4 3/4	2,549.29	4 3/4	2,893.02	4 3/4	3,238.74	4 3/4	3,580.47	4 3/4	3,924.20	4 3/4	4,267.93	4 3/4	4,610.81	4 3/4	4,957.56	4 3/4	5,301.44
5	150.35	5	494.08	5	837.81	5	1,181.54	5	1,526.26	5	1,869.99	5	2,212.72	5	2,556.45	5	2,900.18	5	3,243.90	5	3,587.63	5	3,931.36	5	4,275.09	5	4,618.82	5	4,965.55	5	5,308.18
5 1/4	157.51	5 1/4	501.24	5 1/4	844.97	5 1/4	1,188.70	5 1/4	1,532.43	5 1/4	1,878.15	5 1/4	2,219.89	5 1/4	2,563.61	5 1/4	2,907.34	5 1/4	3,251.07	5 1/4	3,598.79	5 1/4	3,946.52	5 1/4	4,289.41	5 1/4	4,637.14	5 1/4	4,983.87	5 1/4	5,315.03
5 1/2	164.67	5 1/2	508.40	5 1/2	852.13	5 1/2	1,195.86	5 1/2	1,539.59	5 1/2	1,883.31	5 1/2	2,227.04	5 1/2	2,570.77	5 1/2	2,914.50	5 1/2	3,258.23	5 1/2	3,605.96	5 1/2	3,954.68	5 1/2	4,299.41	5 1/2	4,648.04	5 1/2	4,990.80	5 1/2	5,321.41
5 3/4	171.84	5 3/4	515.56	5 3/4	859.29	5 3/4	1,203.02	5 3/4	1,546.76	5 3/4	1,890.48	5 3/4	2,234.20	5 3/4	2,577.93	5 3/4	2,921.66	5 3/4	3,268.39	5 3/4	3,609.12	5 3/4	3,958.84	5 3/4	4,299.41	5 3/4	4,657.77	5 3/4	4,999.15	5 3/4	5,328.02
6	179.00	6	522.72	6	866.45	6	1,210.18	6	1,553.91	6	1,897.64	6	2,241.38	6	2,585.08	6	2,928.82	6	3,272.56	6	3,616.28	6	3,960.00	6	4,303.73	6	4,651.46	6	4,995.19	6	5,334.64
6 1/4	186.16	6 1/4	529.89	6 1/4	873.61	6 1/4	1,217.34	6 1/4	1,561.07	6 1/4	1,904.90	6 1/4	2,248.63	6 1/4	2,592.25	6 1/4	2,936.98	6 1/4	3,279.71	6 1/4	3,623.44	6 1/4	3,967.17	6 1/4	4,310.90	6 1/4	4,658.63	6 1/4	4,999.91	6 1/4	5,341.25
6 1/2	193.32	6 1/2	537.05	6 1/2	880.77	6 1/2	1,224.50	6 1/2	1,568.23	6 1/2	1,911.96	6 1/2	2,256.89	6 1/2	2,599.41	6 1/2	2,943.14	6 1/2	3,286.87	6 1/2	3,630.80	6 1/2	3,974.33	6 1/2	4,318.05	6 1/2	4,665.58	6 1/2	4,913.04	6 1/2	5,347.81
6 3/4	200.48	6 3/4	544.21	6 3/4	887.93	6 3/4	1,231.66	6 3/4	1,575.39	6 3/4	1,919.12	6 3/4	2,262.85	6 3/4	2,606.58	6 3/4	2,960.30	6 3/4	3,294.03	6 3/4	3,637.76	6 3/4	3,981.49	6 3/4	4,325.22	6 3/4	4,672.79	6 3/4	4,919.43	6 3/4	5,354.38
7	207.64	7	551.37	7	895.10	7	1,238.82	7	1,582.65	7	1,926.28	7	2,270.91	7	2,613.74	7	2,967.46	7	3,307.19	7	3,644.92	7	3,988.65	7	4,332.38	7	4,679.90	7	4,925.17	7	5,361.03
7 1/4	214.80	7 1/4	558.53	7 1/4	902.26	7 1/4	1,246.99	7 1/4	1,589.71	7 1/4	1,933.44	7 1/4	2,277.17	7 1/4	2,620.90	7 1/4	2,964.63	7 1/4	3,308.36	7 1/4	3,652.08	7 1/4	3,996.81	7 1/4	4,339.64	7 1/4	4,687.17	7 1/4	4,932.24	7 1/4	5,367.81
7 1/2	221.96	7 1/2	565.69	7 1/2	909.42	7 1/2	1,253.16	7 1/2	1,596.97	7 1/2	1,940.80	7 1/2	2,284.33	7 1/2	2,628.06	7 1/2	2,971.79	7 1/2	3,318.51	7 1/2	3,659.24	7 1/2	4,002.97	7 1/2	4,346.70	7 1/2	4,689.03	7 1/2	4,939.10	7 1/2	5,374.38
7 3/4	229.12	7 3/4	572.85	7 3/4	916.58	7 3/4	1,260.31	7 3/4	1,604.04	7 3/4	1,947.76	7 3/4	2,291.49	7 3/4	2,635.22	7 3/4	2,978.95	7 3/4	3,322.68	7 3/4	3,668.40	7 3/4	4,010.13	7 3/4	4,353.88	7 3/4	4,696.14	7 3/4	4,945.34	7 3/4	5,380.95
8	236.28	8	580.01	8	923.74	8	1,267.47	8	1,611.20	8	1,954.92	8	2,298.65	8	2,641.38	8	2,986.11	8	3,329.84	8	3,673.56	8	4,017.29	8	4,361.02	8	4,703.25	8	4,949.42	8	5,387.02
8 1/4	243.44	8 1/4	587.17	8 1/4	930.90	8 1/4	1,274.63	8 1/4	1,618.36	8 1/4	1,962.09	8 1/4	2,305.81	8 1/4	2,648.54	8 1/4	2,993.27	8 1/4	3,337.00	8 1/4	3,680.73	8 1/4	4,024.46	8 1/4	4,368.18	8 1/4	4,710.36	8 1/4	4,956.42	8 1/4	5,393.58
8 1/2	250.61	8 1/2																													



BARGE " A T-3012"
ACCUMARINE
INNAGE TABLE

3 PORT OR STAR.

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2066-1

Table with 16 columns (0 FT. to 14 FT.) and multiple rows of numerical data representing innage measurements.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 7/15/09

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-4 1/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR GEOMETRICAL CENTER OF TANK.)

STAR REFERENCE GAUGE HEIGHT: 15'-4 3/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR GEOMETRICAL CENTER OF TANK.)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature and text: INSPECTORATE AMERICA CORPORATION



BARGE " AT-3012"
ACCUMARINE
INNAGE TABLE

1 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2086-1

H	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	21.97	347.17	709.30	1,076.84	1,441.97	1,808.31	2,174.64	2,540.98	2,907.32	3,273.65	3,639.99	4,006.32	4,372.66	4,739.00	5,104.77
1/4	26.82	354.49	716.83	1,083.27	1,448.80	1,814.84	2,182.28	2,548.81	2,914.95	3,281.28	3,647.82	4,014.89	4,382.29	4,749.83	5,117.83
1/2	31.67	361.81	724.56	1,090.90	1,457.24	1,823.87	2,192.91	2,559.34	2,927.58	3,296.51	3,665.25	4,034.89	4,404.82	4,774.79	5,144.78
3/4	36.52	369.13	732.20	1,098.53	1,464.87	1,831.20	2,197.54	2,563.88	2,930.21	3,298.55	3,667.29	4,036.82	4,406.82	4,776.82	5,146.82
1	41.37	376.45	739.83	1,106.18	1,472.50	1,838.84	2,206.17	2,571.51	2,937.84	3,304.18	3,670.52	4,038.85	4,408.19	4,778.19	5,148.19
1 1/4	46.21	383.77	747.46	1,113.80	1,480.13	1,846.47	2,212.90	2,579.14	2,945.48	3,311.81	3,678.15	4,046.48	4,416.15	4,786.15	5,156.15
1 1/2	51.06	391.09	755.09	1,121.43	1,487.78	1,854.10	2,220.44	2,585.77	2,953.11	3,319.44	3,685.78	4,054.11	4,424.11	4,794.11	5,166.11
3 1/4	61.86	398.41	762.72	1,129.06	1,495.40	1,861.73	2,228.07	2,594.40	2,960.74	3,327.08	3,693.41	4,062.74	4,432.74	4,802.74	5,176.74
2	66.65	405.86	770.36	1,136.69	1,503.03	1,869.36	2,235.70	2,602.03	2,968.37	3,334.71	3,701.04	4,070.37	4,440.37	4,810.37	5,186.37
1 3/4	71.50	413.30	777.99	1,144.32	1,510.66	1,877.00	2,243.33	2,609.67	2,976.00	3,342.34	3,708.68	4,078.01	4,448.01	4,818.01	5,196.31
1 1/2	82.05	420.74	785.62	1,151.96	1,518.29	1,884.63	2,250.96	2,617.30	2,983.64	3,349.97	3,716.31	4,085.34	4,455.34	4,825.34	5,206.34
3 3/4	96.75	428.18	793.25	1,159.59	1,525.92	1,892.26	2,258.40	2,624.93	2,991.27	3,357.30	3,723.64	4,092.67	4,462.67	4,832.67	5,216.67
3	102.14	435.63	800.88	1,167.23	1,533.56	1,899.89	2,266.23	2,632.56	2,998.90	3,365.24	3,731.57	4,099.91	4,470.91	4,840.91	5,226.91
1 3/4	102.14	443.07	808.52	1,174.85	1,541.19	1,907.52	2,273.86	2,640.20	3,006.53	3,373.87	3,739.20	4,108.53	4,478.53	4,848.53	5,236.53
1 1/2	108.84	450.51	816.15	1,182.48	1,548.82	1,915.18	2,281.49	2,647.83	3,014.16	3,381.56	3,746.56	4,115.16	4,486.56	4,856.56	5,246.56
3 3/4	118.54	457.95	823.79	1,190.12	1,556.46	1,922.79	2,289.12	2,655.46	3,021.80	3,388.13	3,754.47	4,122.80	4,494.47	4,864.47	5,256.47
4	122.38	465.82	831.41	1,197.78	1,564.08	1,930.42	2,296.76	2,663.09	3,029.43	3,395.78	3,762.10	4,129.44	4,499.44	4,869.44	5,266.44
1 3/4	128.19	473.09	839.04	1,205.39	1,571.72	1,938.05	2,304.39	2,670.72	3,037.08	3,403.40	3,769.73	4,136.07	4,506.07	4,876.07	5,276.07
1 1/2	136.01	480.66	846.68	1,213.91	1,579.35	1,945.68	2,312.02	2,678.36	3,044.88	3,411.03	3,777.38	4,143.70	4,513.70	4,883.70	5,286.30
3 3/4	142.83	488.23	854.31	1,220.84	1,586.98	1,953.32	2,319.85	2,686.99	3,052.32	3,418.66	3,785.00	4,150.33	4,520.33	4,890.33	5,296.33
5	149.64	496.80	861.94	1,228.28	1,594.61	1,960.95	2,327.28	2,693.82	3,059.86	3,426.29	3,792.33	4,157.66	4,527.66	4,897.66	5,296.66
1 3/4	156.48	503.38	869.57	1,235.31	1,602.24	1,968.68	2,334.82	2,701.25	3,067.59	3,433.92	3,800.26	4,164.99	4,534.99	4,904.99	5,306.99
1 1/2	163.30	510.93	877.20	1,242.84	1,609.88	1,976.21	2,342.58	2,708.88	3,075.22	3,441.56	3,807.80	4,172.23	4,542.23	4,912.23	5,316.23
3 3/4	170.12	518.50	884.84	1,251.17	1,617.81	1,983.84	2,350.18	2,716.82	3,082.85	3,448.19	3,815.52	4,179.56	4,549.56	4,919.56	5,326.56
6	177.07	526.13	892.47	1,258.80	1,625.14	1,991.48	2,357.81	2,724.15	3,090.48	3,455.82	3,823.16	4,186.89	4,556.89	4,926.89	5,336.89
1 3/4	184.02	533.78	900.10	1,266.44	1,632.77	1,999.11	2,365.44	2,731.78	3,098.12	3,463.45	3,830.79	4,194.12	4,564.12	4,936.12	5,346.12
1 1/2	190.57	541.40	907.73	1,274.07	1,640.40	2,006.74	2,373.08	2,738.41	3,105.76	3,471.08	3,838.42	4,201.76	4,571.76	4,943.76	5,356.76
3 3/4	197.92	549.03	915.35	1,281.70	1,648.04	2,014.37	2,380.71	2,745.04	3,113.38	3,478.72	3,846.05	4,209.05	4,579.05	4,953.05	5,366.05
7	204.98	556.66	923.00	1,289.33	1,655.67	2,022.00	2,388.34	2,752.68	3,121.01	3,485.35	3,853.68	4,216.35	4,586.35	4,960.35	5,376.35
1 3/4	211.81	564.29	930.63	1,296.96	1,663.30	2,029.64	2,396.97	2,760.31	3,128.64	3,493.08	3,861.31	4,223.64	4,593.64	4,968.64	5,386.64
1 1/2	218.76	571.92	938.28	1,304.60	1,670.93	2,037.27	2,403.60	2,768.94	3,136.28	3,500.81	3,869.81	4,230.81	4,601.81	4,976.81	5,396.81
3 3/4	225.71	579.55	945.89	1,312.23	1,678.56	2,044.90	2,411.24	2,777.57	3,143.91	3,508.24	3,877.58	4,238.24	4,609.24	4,986.24	5,406.24
8	232.78	587.19	953.52	1,319.86	1,686.20	2,052.53	2,418.87	2,785.20	3,151.54	3,515.88	3,885.21	4,245.88	4,616.88	4,996.88	5,416.88
1 3/4	239.85	594.82	961.15	1,327.49	1,693.83	2,060.18	2,426.50	2,792.84	3,159.17	3,523.51	3,893.51	4,253.51	4,624.51	5,006.51	5,426.51
1 1/2	246.82	602.45	968.78	1,335.12	1,701.46	2,067.80	2,434.13	2,800.47	3,166.80	3,531.14	3,899.84	4,260.84	4,632.84	5,016.84	5,436.84
3 3/4	254.00	610.08	976.41	1,342.75	1,709.09	2,075.43	2,441.76	2,808.10	3,174.44	3,538.77	3,907.11	4,268.11	4,639.11	5,026.11	5,446.11
9	261.07	617.72	984.05	1,350.39	1,716.72	2,083.06	2,448.40	2,815.73	3,182.07	3,546.40	3,914.74	4,275.40	4,646.40	5,036.40	5,456.40
1 3/4	268.14	625.35	991.68	1,358.02	1,724.35	2,090.69	2,457.03	2,823.38	3,189.70	3,554.01	3,922.37	4,282.37	4,654.01	5,046.01	5,466.01
1 1/2	275.21	632.98	999.32	1,365.65	1,731.99	2,098.32	2,464.66	2,831.00	3,197.33	3,561.87	3,930.00	4,289.34	4,661.87	5,056.87	5,476.87
3 3/4	282.28	640.61	1,006.95	1,373.28	1,739.62	2,105.96	2,472.29	2,838.53	3,204.96	3,571.30	3,937.64	4,296.96	4,672.64	5,066.64	5,486.64
10	289.48	648.24	1,014.58	1,380.92	1,747.25	2,113.59	2,479.92	2,846.28	3,212.60	3,579.93	3,945.27	4,304.27	4,682.27	5,076.27	5,496.27
1 3/4	296.64	655.88	1,022.21	1,388.55	1,754.89	2,121.22	2,487.56	2,853.89	3,220.23	3,588.56	3,952.90	4,311.60	4,690.90	5,086.90	5,506.90
1 1/2	303.87	663.51	1,029.84	1,396.18	1,762.52	2,128.85	2,495.19	2,861.82	3,227.86	3,596.20	3,960.83	4,318.83	4,700.83	5,096.83	5,516.83
3 3/4	311.07	671.14	1,037.48	1,403.81	1,770.16	2,136.48	2,502.82	2,869.16	3,235.49	3,603.83	3,968.16	4,326.16	4,708.16	5,106.16	5,526.16
11	318.28	678.77	1,045.11	1,411.44	1,777.78	2,144.12	2,510.45	2,876.79	3,243.12	3,611.46	3,975.80	4,333.12	4,715.80	5,116.80	5,536.80
1 3/4	325.46	686.40	1,052.74	1,419.08	1,785.41	2,151.75	2,518.08	2,884.42	3,250.76	3,619.09	3,983.43	4,340.76	4,723.43	5,126.43	5,546.43
1 1/2	332.86	694.04	1,060.37	1,426.71	1,793.04	2,159.38	2,525.72	2,892.05	3,258.39	3,627.32	3,991.06	4,347.32	4,730.06	5,136.06	5,556.06
3 3/4	339.85	701.67	1,068.00	1,434.34	1,800.68	2,167.01	2,533.35	2,899.68	3,266.02	3,635.38	3,998.68	4,354.38	4,737.38	5,146.38	5,566.38

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 7/15/99

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-3 3/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR GEOMETRICAL CENTER OF TANK.)

STAR REFERENCE GAUGE HEIGHT: 15'-4 1/2" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR GEOMETRICAL CENTER OF TANK.)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
 INSPECTORATE AMERICA CORPORATION